

- [4.19] National Bureau of Standards, Table of natural logarithms for arguments between zero and five to sixteen decimal places, 2d ed., Applied Math. Series 31 (U.S. Government Printing office, Washington, D.C., 1953). $x=0(.0001)5$, 16 D.
- [4.20] National Bureau of Standards, Tables of the exponential function e^x , 3d ed., Applied Math. Series 14 (U.S. Government Printing Office, Washington, D.C., 1951). $x=-2.4999(.0001)$.9999, 18D, $x=1(.0001)$ 2.4999, 15D, $x=2.5(.001)$ 4.999, 15D, $x=5(.01)$ 9.99, 12D, $x=-.000099(.000001)$.000099, 18D, $x=-100(1)100$, 19S, $x=-9 \times 10^{-n}(10^{-n})9 \times 10^{-n}$, $n=10, 9, 8, 7$, 18D; values of e and $1/e$, 2556D.
- [4.21] National Bureau of Standards, Table of the descending exponential, $x=2.5$ to $x=10$, Applied Math. Series 46 (U.S. Government Printing Office, Washington, D.C., 1955). $x=2.5(.001)10$, 20D.
- [4.22] National Bureau of Standards, Tables of sines and cosines for radian arguments, 2d ed., Applied Math. Series 43 (U.S. Government Printing Office, Washington, D.C., 1955). $\sin x$, $\cos x$, $x=0(.001)25.2$, 0(1)100, 8D, $x=10^{-n}(10^{-n})9 \times 10^{-n}$, $n=5, 4, 3, 2, 1$, 15D, $x=0(.00001)$.01, 12D.
- [4.23] National Bureau of Standards, Tables of circular and hyperbolic sines and cosines for radian arguments, 2d ed., Applied Math. Series 36 (U.S. Government Printing Office, Washington, D.C., 1953). $\sin x$, $\cos x$, $\sinh x$, $\cosh x$, $x=0(.0001)$ 1.9999, 0(1)10, 9D.
- [4.24] National Bureau of Standards, Table of circular and hyperbolic tangents and cotangents for radian arguments, 2d printing (Columbia Univ. Press, New York, N.Y., 1947). $\tan x$, $\cot x$, $\tanh x$, $\coth x$, $x=0(.0001)2$, 8D or 8S, $x=0(.1)10$, 10D.
- [4.25] National Bureau of Standards, Table of sines and cosines to fifteen decimal places at hundredths of a degree, Applied Math. Series 5 (U.S. Government Printing Office, Washington, D.C., 1949). $\sin x$, $\cos x$, $x=0^\circ(.01^\circ)90^\circ$, 15D; supplementary table of $\sin x$, $\cos x$, $x=1^\circ(1^\circ)89^\circ$, 30 D.
- [4.26] National Bureau of Standards, Table of secants and cosecants to nine significant figures at hundredths of a degree, Applied Math. Series 40 (U.S. Government Printing Office, Washington, D.C., 1954).
- [4.27] National Bureau of Standards, Tables of functions and of zeros of functions, Collected short tables of the Computation Laboratory, Applied Math. Series 37 (U.S. Government Printing Office, Washington, D.C., 1954).
- [4.28] National Bureau of Standards, Table of arcsin x (Columbia Univ. Press, New York, N.Y., 1945). arcsin x , $x=0(.0001).989(.00001)1$, 12D; auxiliary table of $f(v)=[\frac{1}{2}\pi - \arcsin(1-v)]/(2v)^n$, $v=0(.00001).0005$, 13D.
- [4.29] National Bureau of Standards, Tables of arctan x , 2d ed., Applied Math. Series 26 (U.S. Government Printing Office, Washington D.C., 1953). $x=0(.001)7(.01)50(.1)300(.1)2000(.10)10000$, 12D.
- [4.30] National Bureau of Standards, Table of hyperbolic sines and cosines, $x=2$ to $x=10$, Applied Math. Series 45 (U.S. Government Printing Office, Washington, D.C., 1955). $x=2(.001)10$, 9S.
- [4.31] B. O. Peirce, A short table of integrals, 4th ed. (Ginn and Co., Boston, Mass., 1956).
- [4.32] J. Peters, Ten-place logarithm table, vols. 1, 2 (together with an appendix of mathematical tables), (Berlin, 1922; rev. ed., Frederick Ungar Publ. Co., New York, N.Y., 1957).
- [4.33] J. Peters, Seven-place values of trigonometric functions for every thousandth of a degree (Berlin-Friedenau, 1918; D. Van Nostrand Co., Inc., New York, N.Y., 1942).
- [4.34] L. W. Pollak, Rechentafeln zur harmonischen Analyse (Johann Ambrosius Barth, Leipzig, Germany, 1926).
- [4.35] A. J. Thompson, Standard table of logarithms to twenty decimal places, Tracts for Computers, No. 22 (Cambridge Univ. Press, Cambridge, England, and New York, N.Y., 1952).
- [4.36] J. Todd, Table of arctangents of rational numbers, NBS Applied Math. Series 11 (U.S. Government Printing Office, Washington, D.C., 1951). arctan m/n and arccot m/n , $0 < m < n \leq 100$, 12D; reductions of arctan m/n , $0 < m < n \leq 100$; reductions of arctan n for reducible $n \leq 2089$.
- [4.37] U.S. Department of Commerce, Coast and Geodetic Survey, Natural sines and cosines to eight decimal places, Special Publication No. 231 (U.S. Government Printing Office, Washington, D.C., 1942).
- [4.38] C. E. Van Orstrand, Tables of the exponential* function and of the circular sine and cosine to radian arguments, Memoirs of the National Academy of Sciences 14, 5th Memoir (U.S. Government Printing Office, Washington, D.C., 1921).
- [4.39] B. V. Vega, Logarithmic tables of numbers and trigonometrical functions (G. E. Stechert & Co., New York, N.Y., 1905); $\log_{10} x$, $x=1(1)100000$; logarithms of the trigonometrical functions for every ten seconds.

*See page II.